



国家防爆

Electrical Apparatus for Explosive Atmospheres

# CERTIFICATE OF CONFORMITY

Cer. No.: CNEx13.3279X

**Manufacturer** HORNACHE CORPORATION  
(Address: 8F-1, No. 857 Jingguo Road, Taoyuan City, Taiwan)

**Name of Product** Lubricant-dispensing Equipment

**Type of Product** 150 250 DC6V

**Marking** Ex icIIBT5 Gc  
ExicD22 T95

**Standard** —

**Drawing No.** —

The drawings, technical documents and the samples are verified and certified according to standard(s) for safety as below:

- GB3836.1-2010 Explosive atmospheres Part 1: Equipment-General requirements
- GB3836.4-2010 Explosive atmospheres Part 4: Equipment protection by intrinsic safety"i"
- GB12476.4-2010 Electrical apparatus for use in the presence of combustible dust-Part 4: Protection by intrinsic safety "iD"

**Note**

1. This certificate covers the following models:150, 250, 150□, 250□, 150classic, 150elite, 250elite, 150RFID, 250RFID, 150B.
2. Proper measurement shall be taken to avoid static charge hazards.
3. IP code: IP 65.

**Valid Date** From Oct 9, 2013 to Oct 8, 2018

**Issue Date** Oct 9, 2013

**Director**



CHINA NATIONAL QUALITY SUPERVISION AND TEST CENTRE  
FOR EXPLOSION PROTECTED ELECTRICAL PRODUCTS

Address: No.20 North Zhongjing Rd, Nanyang, Henan(473008), P.R.China  
Tel: 0377-63258564 Fax: 0377-63208175 Http://www.china-ex.com



Note: This certificate is only valid for the products which identify with the sample(s) tested and verified. Holder(s) of this certificate have the responsibility to ensure the products complying with relevant standard(s).

登陆网站 输入数码 查询真伪 7609 6125 4414 1798 查询方式: www.china-ex.com



# 防爆电气设备 防爆合格证

编号: CNEx13.3279X

制造厂家	弘琦贸易有限公司 (地址: 台湾桃园市经国路 857 号 8F-1)
产品名称	自动润滑器
型号规格	150/250 DC6V
防爆标志	Ex iclIBT5 Gc ExicD22 T95
产品标准	—
总装图号	—

经对上述产品图样及技术文件的审查和样品检验, 确认符合下列标准:  
 GB3836.1-2010《爆炸性环境 第1部分: 设备 通用要求》  
 GB3836.4-2010《爆炸性环境 第4部分: 由本质安全型“i”保护的的设备》  
 GB12476.4-2010《可燃性粉尘环境用电气设备第4部分: 本质安全型“id”》

记 事

1. 本证书可代表型号: 150, 250, 150□, 250□, 150classic, 150elite, 250elite, 150RFID, 250RFID, 150B.
2. 本设备表面可能积聚静电电荷, 须采取适当措施防止静电危害。
3. IP 防护等级: IP65。

本证有效期 2013 年 10 月 9 日至 2018 年 10 月 8 日

颁发日期 2013 年 10 月 9 日

中心主任



## 国家防爆电气产品质量监督检验中心

地址: 中国河南省南阳市仲景北路20号 邮政编码: 473008

电话: 0377-63258564 传真: 0377-63208175 Http://www.china-ex.com